STATE of ILLINOIS

ILLINOIS COMMERCE COMMISSION

STIPULATED AGREEMENT SURVEY FORM

RR/Line	UP/SSWNAO	Milepost_	167.30	Inventory	7# <u>294 267C</u>
City	Elkhart	Street <u>FAS</u>	5566 (Gov. <mark>Ogles</mark>	by St). County_	Logan
Jurisdiction	Local	Urban	Rural	Commercial X	Residential
Street Surface	bituminous	Width_	35'	Condition	1
Angle 85°	Tracks Tangent	Y De	egree of Curve	Superele	evation
Depth of Cut			Height of Fill_		
			g Surface		
Track Centers 41'			Type Full wood plank	Width 45'	Condition
Intersecting R	oads <100' <u>L</u>	atham St. is 6	<u>0'E</u> <20	00' <u>Rt</u> .	66 is 163′W
Traffic Contro	ol Devices Present: ste	op signs at Rt	.66		
ADT	1750	Speed		Statewide	Y
School Buses	possible	Hazardou	s Material <u>s poss</u>	ible (Other
Rail Traffic:	Ft. <u>4 @ 60</u>) mph	Pass. 6 @	79 mph	Switch
Simultaneous	Movements:		Dayligh	t and Dark:	Y
Present Protection: AFLS&G with cantilevers					
Advance War	ning Signs Y	es	Pavement N	Marking	No


<u>VisibilityStudy</u>

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction
NE				
NW SE				
SE SW				
Approach Grades				
East	25'	-1.20 %	50' -0.40	%
West	25'	-0.80 %	50' -4.80	%

[&]quot;+" grade is ascending from crossing

Comments: Flashers facing N&S for Latham St. Sidewalks south side of crossing.

[&]quot;-"grade is descending from crossing



STATE OF ILLINOIS

ILLINOIS COMMERCE COMMISSION

STIPULATED AGREEMENT SURVEY FORM

RR/Line	UP/SSWNAO	Milepost	163.45	Inventory	# 294 263A
City	Broadwell	Street	CH63E (Oak St	c.) County	Logan
Jurisdiction	Local				
Street Surface	bituminous	Width_	26'	Condition	
Ang <u>le 90°</u>	Tracks Tange	ent Y Do	egree of Curve	Superele	vation
Depth of Cut			Height of Fill_		
		Crossin	g Surface		
Track Centers	Elevation T	rack	Туре	Width	Condition
	N	I ain	Full wood panel	27'	
Intersecting Ro	oads <100'	Rt.66 is 89'V	<u>v</u> <20	00' Jacob	St. is 168'E
Traffic Control Devices Present: Stop sign at Rt.66					
ADT	150	Speed		Statewide	Y
School Buses	possible	Hazardou	s Materials poss	ible O	ther
Rail Traffic:	Ft. 4 @	60 mph	Pass. 6 @	79 mph	Switch
Simultaneous Movements: Daylight and Dark Y			Y		
Present Protection: AFLS &G					
Advance Warn	ing Signs	Yes	Pavement N	Marking	No

VisibilityStudy

Quad	Clearing Visibility	Obstruction	Stopping Visibility	Obstruction		
NE						
NW						
SE						
SW						
Approach Grades						
East	25'	-0.40 %	50' -2.40 %	%		
West	25'	-3.60 %	50' -4.00 %	%		

[&]quot;+" grade is ascending from crossing

Comments: Flashers facing NW towards Rt.66 and SE towards Jacob

[&]quot;-" grade is descending from crossing

